



Item number MO6100-37

Item description

Lanyard in RPET with metal hook and safety breakaway. 20mm wide. Sublimation print available on white item only.

Material content

| Part | Component description | Position | Material | Weight Percentage | | |
|------|------------------------------|-------------|--|-------------------|--|--|
| 1 | strap | main part | Recycled Polyethylene Terephthalate (RPET) | 50,00% | | |
| 2 | Plastic case | Case | Acrylonitrile Butadiene Styrene (ABS) | 3,50% | | |
| 3 | | Safety clip | Polyoxymethylene (POM) | 16,00% | | |
| 4 | Label tag | Label tag | Polyester | 1,00% | | |
| | | | Total | 100,00% | | |
| | | | | | | |

| Biodegradability of material | □ Yes | 🗵 No |
|------------------------------|-------|------|
| | | |
| Recyclability of material | ⊠Yes | □No |

Renewable source

| Recycled material | Natural material | Reused waste material |
|-------------------|------------------|-----------------------|
| ⊠Yes □No | □Yes ⊠No | □Yes ⊠No |



End of life suggestion



Trademarks of material

Made from recycled materials produced under a certified label.

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| Piece | Inner Carton | Carton | mo box | Polybag | Packaging |
|-------|--------------|--------|--------|---------|-----------|
| 1 | - | 800 | | | - |

We have dedicated partnerships with our carriers. Who have shown their commitments to reduce GHG emissions and have ambitious targets concerning carbon-neutral deliveries and climate-neutral logistics solutions.

midocean Mrs. P. Varela Buying & Portiolio Director

midocean | Wellensiekstraat 2 | 6718 XZ Ede | po box 644, 6710 BP Ede | the Netherlands +31 (0) 34 24 26 842 | www.midocean.com | info@midocean.com





Item number MO6100-06

Item description

Lanyard in RPET with metal hook and safety breakaway. 20mm wide. Sublimation print available on white item only.

| matorial | | | | | | |
|----------|------------------------------|-------------|--|-------------------|--|--|
| Part | Component description | Position | Material | Weight Percentage | | |
| 1 | strap | main part | Recycled Polyethylene Terephthalate (RPET) | 50,00% | | |
| 2 | Plastic case | Case | Acrylonitrile Butadiene Styrene (ABS) | 3,50% | | |
| 3 | | Safety clip | Polyoxymethylene (POM) | 16,00% | | |
| 4 | Label tag | Label tag | Polyester | 1,00% | | |
| | | | Total | 100,00% | | |

| Material information | Petrochemical | Partly Biobased | Biobased |
|-------------------------------|--|--|---|
| Non-biodegradable | PA, PE, PP, PET, <u>RPET</u> , PS, PVC, <u>ABS</u> , VI, Silicone, <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u> | PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS | Glass, Basalt Stone, Ceramic, Chalk |
| Biodegradable (industrial) | PBAT | PLA/BPAT | Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble |



| Recyclability of material | □No |
|---------------------------|-----|
|---------------------------|-----|

| Recycled material | Natural material | Reused waste material |
|-------------------|------------------|-----------------------|
| ⊠Yes □No | □Yes ⊠No | □Yes ⊠No |

End of life suggestion

| × | The lotationage cannot be depiped. The like may have been moved, or addense lowly but the lok points in the cannot be add localize. | |
|---|---|--|
| ^ | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Trademarks of material

Made from recycled materials produced under a certified label.

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| | | | | | | | |
|-------|--------------|--------|--------|---------|-----------|--|--|
| Piece | Inner Carton | Carton | mo box | Polybag | Packaging | | |
| 1 | - | 800 | | | - | | |

midocean Mrs. P. Varela Buying & Porto Director





Item number MO6100-05

Item description

Lanyard in RPET with metal hook and safety breakaway. 20mm wide. Sublimation print available on white item only.

| matoria | | | | | | | |
|---------|------------------------------|-------------|--|-------------------|--|--|--|
| Part | Component description | Position | Material | Weight Percentage | | | |
| 1 | strap | main part | Recycled Polyethylene Terephthalate (RPET) | 50,00% | | | |
| 2 | Plastic case | Case | Acrylonitrile Butadiene Styrene (ABS) | 3,50% | | | |
| 3 | | Safety clip | Polyoxymethylene (POM) | 16,00% | | | |
| 4 | Label tag | Label tag | Polyester | 1,00% | | | |
| | | | Total | 100,00% | | | |

| Material information | Petrochemical | Partly Biobased | Biobased |
|-------------------------------|--|--|---|
| Non-biodegradable | PA, PE, PP, PET, <u>RPET</u> , PS, PVC, <u>ABS</u> , VI, Silicone, <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u> | PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS | Glass, Basalt Stone, Ceramic, Chalk |
| Biodegradable (industrial) | PBAT | PLA/BPAT | Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble |



| Recyclability of material | ⊠Yes | □No |
|---------------------------|------|-----|
|---------------------------|------|-----|

| Recycled material Natural material | | Reused waste material |
|------------------------------------|----------|-----------------------|
| ⊠Yes □No | □Yes ⊠No | □Yes ⊠No |

End of life suggestion

| × | The Mand Longe sense for a digital. The fit may be an intercented, watering is a distinct of the distinct of t |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Trademarks of material

Made from recycled materials produced under a certified label.

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| | 3 | | | | |
|-------|--------------|--------|--------|---------|-----------|
| Piece | Inner Carton | Carton | mo box | Polybag | Packaging |
| 1 | - | 800 | | | - |

midocean Mrs. P. Varela Buying & Porto Director





Item number MO6100-04

Item description

Lanyard in RPET with metal hook and safety breakaway. 20mm wide. Sublimation print available on white item only.

| Part | Component description | Position | Material | Weight Percentage | |
|------|------------------------------|-------------|--|-------------------|--|
| 1 | strap | main part | Recycled Polyethylene Terephthalate (RPET) | 50,00% | |
| 2 | Plastic case | Case | Acrylonitrile Butadiene Styrene (ABS) | 3,50% | |
| 3 | | Safety clip | Polyoxymethylene (POM) | 16,00% | |
| 4 | Label tag | Label tag | Polyester | 1,00% | |
| | | | Total | 100,00% | |

| Material information | Petrochemical | Partly Biobased | Biobased |
|-------------------------------|--|--|---|
| Non-biodegradable | PA, PE, PP, PET, <u>RPET</u> , PS, PVC, <u>ABS</u> , VI, Silicone, <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u> | PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS | Glass, Basalt Stone, Ceramic, Chalk |
| Biodegradable (industrial) | PBAT | PLA/BPAT | Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble |



| Recyclability of material | ⊠Yes | □No |
|---------------------------|------|-----|
|---------------------------|------|-----|

| Recycled material Natural material | | Reused waste material |
|------------------------------------|----------|-----------------------|
| ⊠Yes □No | □Yes ⊠No | □Yes ⊠No |

End of life suggestion

| × | The later improvement to adapted. The first hash head-model, we dong in whip and the id a positive to ward to and indexe. |
|---|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Trademarks of material

Made from recycled materials produced under a certified label.

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| | 3 | | | | |
|-------|--------------|--------|--------|---------|-----------|
| Piece | Inner Carton | Carton | mo box | Polybag | Packaging |
| 1 | - | 800 | | | - |

midocean Mrs. P. Varela Buying & Porto Director





Item number MO6100-03

Item description

Lanyard in RPET with metal hook and safety breakaway. 20mm wide. Sublimation print available on white item only.

| | •••••••• | | | |
|------|------------------------------|-------------|--|-------------------|
| Part | Component description | Position | Material | Weight Percentage |
| 1 | strap | main part | Recycled Polyethylene Terephthalate (RPET) | 50,00% |
| 2 | Plastic case | Case | Acrylonitrile Butadiene Styrene (ABS) | 3,50% |
| 3 | | Safety clip | Polyoxymethylene (POM) | 16,00% |
| 4 | Label tag | Label tag | Polyester | 1,00% |
| | | | Total | 100,00% |

| Material information | Petrochemical | Partly Biobased | Biobased |
|-------------------------------|--|--|---|
| Non-biodegradable | PA, PE, PP, PET, <u>RPET</u> , PS, PVC, <u>ABS</u> , VI, Silicone, <u>POM</u> , ACR, PU, PC, PVC, TPE, LDPE, TPR, EVA, <u>Polyester</u> | PLA/ABS, Wheat Straw/PP, Wheat Straw/ABS, Bamboo/PP, Coffee Husk/PP, Coffee Husk/ABS | Glass, Basalt Stone, Ceramic, Chalk |
| Biodegradable (industrial) | PBAT | PLA/BPAT | Bamboo, Wheat Straw, PLA, Paper, Paper Straw, PLA/Wheat Straw, PLA/Bamboo, Cork, Cotton, Cocos Oil, Rubber, Hemp, Jute, Wood, Marble Cocos Oil, Rubber, Hemp, Jute, Wood, Marble |



| Recyclability of material | ⊠Yes | □No |
|---------------------------|------|-----|
|---------------------------|------|-----|

| Recycled material | Natural material | Reused waste material | |
|-------------------|------------------|-----------------------|--|
| ⊠Yes □No | □Yes ⊠No | □Yes ⊠No | |

End of life suggestion

| × | The Mand Longe sense for a digital. The fit may be an intercented, watering is a distinct of the distinct of t |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Trademarks of material

Made from recycled materials produced under a certified label.

Fulfilled technical standard

This item is compliant with the European legislation and regulations applicable to this item. A Declaration of Conformity (DOC) certificate and all relevant test reports are easily downloadable at our web shop.

Quality certifications/ social audits factory



Packaging and Transport

| Piece | Inner Carton | Carton | mo box | Polybag | Packaging | | |
|-------|--------------|--------|--------|---------|-----------|--|--|
| 1 | - | 800 | | | - | | |

midocean Mrs. P. Varela Buying & Porto Director